













單點式稱重傳感器 Single-Point Load Cells

產品Product	特性Features	量程Capacities
<p>NA1</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Certified to OIML C3 被鑑定通過OIML C3 ● Platform size 350*350mm 臺面尺寸350*350mm ● Used for Pricing scale, Counting scale 用於計價秤,計數秤 	<p>3, 4.5, 5, 6, 7.5, 8, 10, 12, 15, 20, 30, 35, 40, 45 (kg)</p>
<p>NA2</p> 	<ul style="list-style-type: none"> ● Aluminum/Steel alloy construction 鋁合金/合金鋼材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*450mm 臺面尺寸350*450mm ● Used for Pricing scale, Counting scale 用於計價秤,計數秤 	<p>60, 100, 150, 200, 250, 300, 350, 500 (kg)</p>
<p>NA3</p> 	<ul style="list-style-type: none"> ● Aluminum/Steel alloy construction 鋁合金/合金鋼材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 600*800mm 臺面尺寸600*800mm ● Used for Platform scale 用於台秤 	<p>50, 60, 100, 150, 200, 250, 300, 500, 600, 750, 800, 1000, 1200 (kg)</p>
<p>NA4, NA5</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 600*600mm 臺面尺寸600*600mm ● Used for Platform scale 用於台秤 	<p>50, 60, 100, 150, 200, 250, 300, 500, 600, 750, 800 (kg)</p>
<p>NA6</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 200*200mm 臺面尺寸200*200mm ● Used for Pricing scale, Counting scale, Balance 用于計價秤,計數秤,天平秤 	<p>0.3, 0.6, 0.75, 1, 2, 3, 5, 7, 10 (kg)</p>
<p>NA8</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 400*400mm 臺面尺寸400*400mm ● Used for Pricing scale, Counting scale 用于計價秤,計數秤 	<p>60, 100, 150, 200, 250 (kg)</p>







單點式稱重傳感器 Single-Point Load Cells

產品Product	特性Features	量程Capacities
<p>NA10</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Certified to OIML C3 被鑑定通過OIML C3 ● Platform size 350*400mm 臺面尺寸350*400mm ● Used for Pricing scale, Counting scale, Weighing Scale 用於計價秤,計數秤,計重秤 	<p>30 , 35 , 60 ,80 ,100 , 120 (kg)</p>
<p>NA11</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 600*600mm 臺面尺寸600*600mm ● Used for Platform scale 用於台秤 	<p>60 , 100 , 150 , 200 , 250 , 300 , 350 , 500 , 800 , 1000 (kg)</p>
<p>NA12,NA13</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 200*200mm 臺面尺寸200*200mm ● Used for Pricing scale, Counting scale, Balance 用於計價秤,計數秤,天平秤 	<p>0.3 , 0.5 , 0.6 , 1 , 2 (kg)</p>
<p>NA19</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Used for Industrial weighing system 用於工業稱重系統 	<p>150 , 200 , 500 (kg)</p>
<p>NA20</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Platform scale, Hopper scale 用於台秤,料鬥秤 	<p>10 , 20 , 30 , 50 , 100 , 200 , 300 , 500 (kg)</p>
<p>NA21</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 700*800mm 臺面尺寸700*800mm ● Used for Platform scale 用於台秤 	<p>500 , 1000 , 1200 , 1500 (kg)</p>

單點式稱重傳感器 Single-Point Load Cells

產品Product	特性Features	量程Capacities
NA22,NA23 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP65 防護等級IP65 ● Platform size 300*300mm 臺面尺寸300*300mm ● Used for Pricing scale, Counting scale 用於計價秤,計數秤 	3, 5, 6, 10, 15, 20, 30, 35, 40 (kg)
NA24 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*450mm 臺面尺寸350*450mm ● Used for Platform scale 用於台秤 	60, 100, 150, 200, 250, 300, 350, 500 (kg)
NA25 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*450mm 臺面尺寸350*450mm ● Used for Platform scale 用於台秤 	60, 100, 150, 200, 250, 300, 350, 500 (kg)
NA26 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP65 防護等級IP65 ● Platform size 350*350mm 臺面尺寸350*350mm ● Used for Pocket Scale, Postage Scale 用於口袋秤,郵包秤 	5, 10, 15, 20, 25, 30 (kg)
NA27 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP65 防護等級IP65 ● Platform size 150*150mm 臺面尺寸150*150mm ● Used for Kitchen Scale, Portable Scale 用於廚房秤,手提秤 	0.6, 1, 2, 3, 5, 6 (kg)
NA32, NA33 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP65 防護等級IP65 ● Platform size 300*300mm 臺面尺寸300*300mm ● Used for Postage Scale, Pricing Scale 用於郵包秤,計價秤 	3, 6, 15, 20, 30, 40, 60, 80, 150 (kg)




單點式稱重傳感器 Single-Point Load Cells

產品Product	特性Features	量程Capacities
<p>NA51</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*350mm 臺面尺寸 350*350mm ● Used for Pricing scale, Counting scale, Weighing Scale 用於計價秤,計數秤,計重秤 	30 , 35 (kg)
<p>NA73</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP65 防護等級IP65 ● Platform size 80*80mm 臺面尺寸 80*80mm ● Used for Pocket Scale, Jewelry Scale 用於口袋秤,珠寶秤 	0.1 , 0.15 , 0.2 (kg)
<p>NA115 NA116, NA117</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Used for Platform scale, Filling Scale 用于台秤,灌裝秤 	250 , 500 , 750 , 1000 , 2000 (kg)
<p>NA128</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*450mm 臺面尺寸 350*450mm ● Used for Pricing scale, Counting scale, Weighing Scale 用於計價秤,計數秤,計重秤 	5 , 20 , 30 , 40 , 50 , 75 , 100 , 200 (kg)
<p>NA151</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 300*300mm 臺面尺寸 300*300mm ● Used for To switch from mechanic to electronic 用於機改電 	10 , 20 , 40 , 60 , 150 (kg)
<p>NA164</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 600*600mm 臺面尺寸 600*600mm ● Used for Platform Scale 用於台秤 	500 , 750 , 800 (kg)






單點式稱重傳感器 Single-Point Load Cells

產品Product	特性Features	量程Capacities
<p>NA165</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 300*300mm 臺面尺寸300*300mm ● Used for Pricing scale, Counting scale 用於計價秤,計數秤 	<p>3, 5, 6, 10, 15, 20, 30, 35, 40 (kg)</p>
<p>NA187</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Platform size 350*450mm 臺面尺寸350*450mm ● Used for Pricing scale, Counting scale, Platform Scale 用於計價秤,計數秤,台秤 	<p>50, 75, 100, 150, 200 (kg)</p>




懸臂梁稱重傳感器 Shear Beam Load Cells

產品Product	特性Features	量程Capacities
<p>NB1</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Platform Scale 用於料鬥秤,台秤 	<p>100, 150, 200, 300, 500, 750, 1000 (kg)</p>
<p>NB2, NB3, NB4</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Floor Scale, Industrial Weighing System 用於料鬥秤,磅秤,工業稱重系統 	<p>0.1, 0.2, 0.3, 0.5, 1, 1.5, 2, 2.5, 3, 5, 7.5, 10 (t)</p>
<p>NB5</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Floor Scale, Industrial Weighing System 用於料鬥秤,磅秤,工業稱重系統 	<p>0.5, 1, 2, 2.5, 3 (t)</p>
<p>NB9</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Floor Scale, Industrial Weighing System 用於料鬥秤,磅秤,工業稱重系統 	<p>0.5, 1, 2, 2.5, 3 (t)</p>

S型稱重傳感器 S Type Load Cells

產品Product	特性Features	量程Capacities
NS1 NS2 NS4 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Crane Scale 用于料鬥秤,吊鉤秤 	0.1 , 0.2 , 0.25 , 0.3 , 0.5 , 0.75 , 1 , 1.5 , 2 , 2.5 , 3 , 5 (t)
NS3 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Crane Scale 用于料鬥秤,吊鉤秤 	5 , 7.5 (t)
NS6 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Crane Scale 用于料鬥秤,吊鉤秤 	50 , 100 , 150 , 200 (kg)
NS13 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Crane Scale 用于料鬥秤,吊鉤秤 	10 (t)
NS18 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Hopper Scale, Crane Scale, Industrial Weighing System 用于料鬥秤,吊鉤秤,工業稱重系統 	20 , 30 , 50 , 75 , 100 , 150 , 200 , 250 , 300 , 500 , 750 (kg) 1 , 1.2 , 1.5 , 2 , 2.5 , 3 , 5 , 7.5 , 10 (t)




橋式稱重傳感器 Bridge Load Cell

產品Product	特性Features	量程Capacities
<p>ND1</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Truck Scale, Rail Scale, Hopper Scale 用于汽車衡,軌道衡,料鬥秤 	<p>3, 5, 10, 15, 20, 25, 50, 75 (Klb)</p>
<p>ND2</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Truck Scale, Rail Scale 用于汽車衡,軌道衡 	<p>20, 25, 30, 40, 50 (t)</p>
<p>ND7</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Industrial Weighing System 用于工業稱重系統 	<p>15 (t)</p>

壓力傳感器 Pressure transducer

產品Product	特性Features	量程Capacities
<p>NP3</p> 	<ul style="list-style-type: none"> ● Stainless Steel construction 不銹鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Pressure transducer 用於測力儀 	<p>100, 200, 350, 500 (kgf / cm²)</p>

輪輻式稱重傳感器 Wheel Shaped Load Cell

產品Product	特性Features	量程Capacities
<p>NQ1</p> 	<ul style="list-style-type: none"> ● Aluminum alloy construction 鋁合金材質 ● Protection class IP66 / IP67 防護等級IP66 / IP67 ● Used for Batching Scale, Industrial Weighing System 用于配料秤,工業稱重系統 	50, 500 (kg)
<p>NQ2</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Batching Scale, Industrial Weighing System 用于配料秤,工業稱重系統 	1, 10, 20 (t)
<p>NQ12</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Batching Scale, Industrial Weighing System 用于配料秤,工業稱重系統 	1, 2, 5, 10, 20 (t)
<p>NQ15</p> 	<ul style="list-style-type: none"> ● Stainless Steel construction 不銹鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Truck Scale, Rail Scale, Hopper Scale 用于汽車衡、軌道衡、料鬥秤 	0.5~3, 5~10, 15~30, 40~60 (t)
<p>NQ16</p> 	<ul style="list-style-type: none"> ● Steel alloy construction 合金鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Ware House Scale, On Board Scale, Chemical Plant 用于倉儲秤,港口秤,化工 	1, 2, 3, 5, 10, 20 (t)
<p>NQ17</p> 	<ul style="list-style-type: none"> ● Steel alloy / Stainless Steel construction 合金鋼 / 不銹鋼材質 ● Protection class IP67 / IP68 防護等級IP67 / IP68 ● Used for Ware House Scale, On Board Scale, Industrial Weighing System 用于倉儲秤,港口秤,工業稱重系統 	0.05~1, 2~5, 10~20, 50 (t)

柱式稱重傳感器 Pole Type Load Cell

產品Product	特性Features	量程Capacities
<p>NC4</p> 	<ul style="list-style-type: none"> ●Stainless Steel construction 不銹鋼材質 ●Protection class IP67 / IP68 防護等級IP67 / IP68 ●Used for Truck Scale, Rail Scale, Industrial Weighing System 用于汽車衡、軌道衡、工業稱重系統 	15, 20, 30, 40, 60 (t)
<p>NC5</p> 	<ul style="list-style-type: none"> ●Stainless Steel construction 不銹鋼材質 ●Protection class IP67 / IP68 防護等級IP67 / IP68 ●Used for Truck Scale, Rail Scale, Hopper Scale 用于汽車衡、軌道衡、料鬥秤 	10, 25, 40, 50, 100 (t)
<p>NC6</p> 	<ul style="list-style-type: none"> ●Stainless Steel construction 不銹鋼材質 ●Protection class IP67 / IP68 防護等級IP67 / IP68 ●Used for Truck Scale, Rail Scale, Industrial Weighing System 用于汽車衡、軌道衡、工業稱重系統 	20, 30, 50, 100, 200, 300 (t)

吊鉤式稱重傳感器 Crane Type Load Cell

產品Product	特性Features	量程Capacities
<p>NY3</p> 	<ul style="list-style-type: none"> ●Steel alloy construction 合金鋼材質 ●Protection class IP67 / IP68 防護等級IP67 / IP68 ●Used for Crane Scale 用於吊鉤秤 	2, 3, 5, 7.5, 10, 20 (t)
<p>NY5</p> 	<ul style="list-style-type: none"> ●Stainless steel construction 不銹鋼材質 ●Protection class IP67 / IP68 防護等級IP67 / IP68 ●Used for Industrial Weighing System 用於工業稱重系統 	50, 100, 200, 500, 1000 (kg)

傳感器附件 LOAD CELL ACCESSORIES

产品Product

特性Features

量程Capacities



- Foot and tee for NB type load cell
NB系列傳感器地腳、壓頭



- Junction box for NB type load cell
NB系列傳感器接線盒



- Module for NB type load cell
NB系列傳感器模塊